

Disease and Symptom Exclusion Recommendations/Regulations 2023-2024

Disease and/or Symptom	Exclusion/Readmit in accordance to K.A.R. 28-1-2 , 28-1-6 and K.A.R. 65-122
Athlete's Foot/Pinworms	No exclusion necessary
COVID-19** (See CDC Recommendations)	Exclude for 5 days following onset of symptoms or test date if asymptomatic, take precautions through day 10; susceptible contacts should quarantine from date of last exposure. Layering mitigation strategies should be utilized. See school specific policies.
Diarrhea/Vomiting/Rash	Diarrhea-free for 24 hours without the aid of medication/ No vomiting for 24 hours/ Rash: Consider exclusion pending a physician evaluation. (Two or more loose or watery stools)
E. Coli (Shiga Toxin—producing E. Coli including E. Coli 0157:H7 and 026)*	School: Diarrhea-free for 24 hours without the aid of medication
Eyes inflamed with purulent discharge	No exclusion. If bacterial conjunctivitis, allowed to remain in school once any prescribed therapy is implemented
Fever with or without other symptoms	Fever-free for 24 hours without the aid of medication (Blue Valley nursing standard is fever =100°F or above)
Fifth Disease	Exclude until fever-free for 24 hours without aid of medication, no longer considered contagious once rash has appeared
Hand, Foot, and Mouth Disease (HFMD)	Exclude until fever-free for 24 hours without the aid of medication and no open lesions
Hepatitis A*	Exclude for 14 days after onset of illness/7 days following onset of jaundice
Impetigo	Exclude until treated for 24 hours with antibiotic or physician note
Influenza	Physician diagnosed : Exclude for 5 days following onset of illness. If fever persists for more than 5 days, continue exclusion until 24 hours fever free.
Measles*	Exclude for 4 days after onset of rash; susceptible contacts that are not age appropriately vaccinated within 72 hours of first exposure shall be excluded for 21 days following the last exposure to an infectious case
MRSA	If lesions can be covered, then no exclusion; if lesions cannot be covered, exclude until lesions have crusted over
Mononucleosis	Fever-free for 24 hours without the aid of medication
Mumps*	Exclude for 5 days from onset of parotitis; susceptible contacts shall be excluded from day 12 to day 25 after exposure to an infectious case
Pertussis (Whooping Cough)	Exclude until completion of appropriate antibiotic therapy (susceptible contacts no longer need to be excluded, only monitored)
Ringworm	Exclude until after treatment has started; no activities involving skin-to-skin contact until lesions are completely healed.
Rubella (German measles)*	Exclude for 7 days following onset of rash; susceptible contacts shall be excluded for 21 days following last exposure to a case
Scabies	Exclude until after treatment with an approved anti-parasitic
Shigellosis*	School: Diarrhea-free for 24 hours without the aid of medication
Shingles	If lesions can be covered, then no exclusion; if lesions cannot be covered, exclude until lesions have crusted over.
Streptococcal disease (scarlet fever and streptococcal sore throat)	Exclude for 24 hours following initiation of antimicrobial therapy; if not receiving therapy exclude for 10 days following onset of symptoms
Varicella (Chickenpox)*	Exclude until all lesions have formed scabs or crusted over; each susceptible contact not age-appropriately vaccinated within 72 hours of first exposure shall be excluded for 21 days from the last exposure to an infectious case

*Please call the health department for further guidance, 913-826-1303 **COVID19 Schools Hotline, 913-715-282, jocogov.org

[Johnson County Department of Health and Environment Disease Exclusion Recommendations/Regulations](#) 2022

Disease and Symptom Exclusion Recommendations/Regulations 2023

Disease and/or Symptom	Exclusion/Readmit in accordance to K.A.R.28-1-2,28-1-6 and Kansas Statute 65-122
Athlete's Foot/Pinworms	No exclusion necessary.
COVID-19** (See CDC Recommendations)	Exclude for 5 days following onset of symptoms or test date if asymptomatic, mask through day 10; if unable to mask, exclude for 10 days. Contacts should mask for 10 days following last date of exposure, recommend testing on day 6. Layering mitigation strategies should be utilized. See school or daycare specific policies.
Diarrhea/Vomiting/Rash	Diarrhea-free for 24 hours without the aid of medication. No vomiting for 24 hours. Rash: Consider exclusion pending a physician evaluation.
E. Coli (Shiga Toxin—producing E. Coli including E. Coli 0157:H7 and 026)*	<i>Child care Only:</i> Exclude until two negative stool cultures are obtained (must be 24 hours apart and 48 hours after discontinuation of antibiotics). <i>School:</i> Diarrhea-free for 24 hours without the aid of medication.
Eyes inflamed with purulent discharge	No exclusion. If bacterial conjunctivitis, allowed to remain in school once any prescribed therapy is implemented.
Fever with or without other symptoms	Fever-free for 24 hours without the aid of medication.
Fifth Disease	Exclude until fever-free for 24 hours without aid of medication, no longer considered contagious once rash has appeared.
Hand, Foot, and Mouth Disease (HFMD)	Exclude until fever-free for 24 hours without the aid of medication and no open lesions.
Hepatitis A*	Exclude for 14 days after onset of illness/7 days following onset of jaundice.
Impetigo	Exclude until treated for 24 hours with antibiotic or physician note.
Influenza	Physician diagnosed : Exclude for 5 days following onset of illness. If fever persists for more than 5 days, continue exclusion until 24 hours fever free.
Measles*	Exclude for 4 days after onset of rash; susceptible contacts that are not age appropriately vaccinated within 72 hours of first exposure shall be excluded for 21 days following the last exposure to an infectious case.
MRSA	If lesions can be covered, then no exclusion; if lesions cannot be covered, exclude until lesions have crusted over.
Mononucleosis	Fever-free for 24 hours without the aid of medication.
Mumps*	Exclude for 5 days from onset of parotitis; susceptible contacts shall be excluded from day 12 to day 25 after exposure to an infectious case.
Pertussis (Whooping Cough)	Exclude until completion of appropriate antibiotic therapy (susceptible contacts no longer need to be excluded, only monitored).
Ringworm	Exclude until after treatment has started; no activities involving skin-to-skin contact until lesions are completely healed.
Rubella (German measles)*	Exclude for 7 days following onset of rash; susceptible contacts shall be excluded for 21 days following last exposure to a case.
Scabies	Exclude until after treatment with an approved anti-parasitic.
Shigellosis*	<i>Child care Only:</i> Exclude until one negative stool culture is obtained (collected 48 hours after discontinuation of antibiotics). <i>School:</i> Diarrhea-free for 24 hours without the aid of medication.
Shingles	If lesions can be covered, then no exclusion; if lesions cannot be covered, exclude until lesions have crusted over.
Streptococcal disease (scarlet fever and streptococcal sore throat)	Exclude for 24 hours following initiation of antimicrobial therapy; if not receiving therapy exclude for 10 days following onset of symptoms.
Varicella (Chickenpox)*	Exclude until all lesions have formed scabs or crusted over; each susceptible contact not age-appropriately vaccinated within 72 hours of first exposure shall be excluded for 21 days from the last exposure to an infectious case.

Rv. 7/23 *Please call JCDHE Disease Containment team for further guidance, 913-826-1303 **JCDHE Child Care Licensing Hotline,913-477-8361

Recomendaciones de exclusión de Enfermedades y Síntomas

Regulaciones 2023

Enfermedad y/o Síntoma	<u>Exclusión/Readmisión</u> de acuerdo con <u>K.A.R. 28-1-2</u> , <u>28-1-6</u> y Estatuto de Kansas <u>65-122</u>
Pie de atleta/Parásitos intestinales	Sin exclusión necesaria.
COVID-19** (Vea Recomendaciones de los CDC)	Excluir por 5 días después del comienzo de los síntomas o día de la prueba positiva, de ser asintomáticos. Use mascarilla hasta el día 10; si no puede usar mascarilla, excluir por 10 días. Los Contactos deberían usar mascarilla por 10 días después de la última exposición, recomiende tomar la prueba el día 6. Estrategias de mitigación por capas deben ser utilizadas. Consulte las políticas específicas de la escuela o guardería.
Diarrea/Vomito/Sarpullido	Libre de diarrea por 24 horas sin la ayuda de medicamento/ Libre de vomito por 24 horas / Sarpullido: Considere la exclusión en la espera de una evaluación médica.
E. Coli (Shiga Toxin—producing E. Coli including E. Coli 0157:H7 and 026) *	Solamente para Guarderías: Excluir hasta que se obtengan dos cultivos de heces negativos (deben ser con 24 horas de diferencia y 48 horas después de haber discontinuado los antibióticos) Escuela: Estar libre de diarrea por 24 horas sin la ayuda de medicamento
Ojos inflamados con flujo purulento	Sin exclusión. De ser conjuntivitis bacteriana, se les permite permanecer en la escuela una vez que el tratamiento prescrito sea implementado.
Fiebre con o sin síntomas	Hasta estar libre de fiebre por 24 horas sin la ayuda de medicamentos.
Quinta Enfermedad	Excluir hasta estar libre de fiebre por 24 horas sin la ayuda de medicamentos, no se considera contagiosa una vez que el sarpullido ha aparecido.
Enfermedad de Manos, Pies y Boca	Excluir hasta estar libre de fiebre por 24 horas sin la ayuda de medicamento y sin lesiones abiertas.
Hepatitis A*	Excluir por 14 días después del comienzo de la enfermedad/7 días después del comienzo de la ictericia.
Impétigo	Excluir hasta haber recibido tratamiento con antibiótico por 24 horas o nota del doctor.
Influenza	<u>Diagnosticada por el Medico:</u> Excluir por 5 días después de la aparición de la enfermedad. Si la fiebre continua más de 5 días, continuar la exclusión por 24 horas después de haber estado libre de fiebre.
Sarampión*	Excluir por 4 días después del comienzo del sarpullido; los contactos susceptibles que no estén vacunados apropiadamente de acuerdo con la edad durante las primeras 72 horas después de la exposición, serán excluidos por 21 días después de la última exposición a un caso infeccioso.
SARM (MRSA por sus siglas en ingles)	Si las lesiones están cubiertas, no hay necesidad de exclusión; Si las lesiones no pueden cubrirse, excluir hasta que las lesiones hayan formado costra
Mononucleosis	Hasta estar libre de fiebre por 24 horas sin la ayuda de medicamentos.
Paperas*	Excluir 5 días desde de la aparición de parotiditis; contactos susceptibles serán excluidos del día 12 al día 25 después de la exposición a un caso infeccioso.
Protosis/Tosferina	Excluir hasta completar la terapia de antibióticos apropiada (los contactos susceptibles no necesitan ser excluidos, solo monitoreados).
Tiña	Excluir hasta el comienzo del tratamiento; evitar actividades de contacto de piel a piel hasta que las lesiones estén completamente recuperadas.
Rubiola (Sarampión alemán) *	Excluir por 7 días después del comienzo del sarpullido; contactos susceptibles serán excluidos por 21 días después de la última exposición.
Sarna	Excluir hasta finalización del tratamiento con un antiparasitario aprobado.
Shigelosis*	Guarderías Solamente: Excluir hasta que se obtenga un cultivo de heces negativo (tomado 48hrs después de la discontinuación de antibióticos) Escuela: Libre de diarrea por 24 horas sin la ayuda de medicamentos.
Culebrilla (Herpes Zóster)	Si las lesiones pueden cubrirse, sin exclusión; si las lesiones no pueden cubrirse, excluir hasta que las lesiones hayan formado costra.
Enfermedad de estreptococo (fiebre escarlatina y dolor de garganta estreptocócico)	Excluir por 24 horas después del comienzo de la terapia antimicrobiana; si no está recibiendo terapia, excluir por 10 días después del comienzo de los síntomas.
Varicela*	Excluir hasta que las lesiones han formado costra o se hayan secado; cada contacto susceptible no vacunado de acuerdo con la edad durante las primeras 72 horas después de la exposición deberá ser excluido por 21 días después de la última exposición a un caso infeccioso.

Rv. 8/23 *Llame al Departamento de Salud para guías adicionales, 913-826-1303

** Guarderías: 913-477-8361

Health

11875 S. Sunset, Suite 300, Olathe, KS 66061
6000 Lamar, Suite 140, Mission, KS 66202
(913) 826-1200 • fax (913) 826-1300
TDD: 800-766-3777

jocogov.org



Environmental & Child Care Licensing

11811 S. Sunset, Suite 2700, Olathe, KS 66061
Environmental (913) 715-6900 • fax (913) 715-6970
Child Care (913) 477-8339 • fax (913) 477-8035
TDD: 800-766-3777